

Date: 28-Apr-2015

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

F.No. Central/1-2451226531/2015/EOA/Corrigendum-1

Corrigendum

To, The Principal Secretary Deptt. Of Higher & Tech. Education, Govt. of Gujarat,New Sachivalaya B. No. 5, 7th Floor Gandhi Nagar-382010

Sub: Extension of approval for the academic year 2015-16.

Ref: Application of the Institution for Extension of Approval for the Year 2015-16

 EOA Issued on
 F.No. Central/1-2451226531/2015/EOA
 07-Apr-2015

 EOA Printed on
 F.No. Central/1-2451226531/2015/EOA
 27-Apr-2015

 Corrigendum 1
 F.No. Central/1-2451226531/2015/EOA/Corrigendum-1
 28-Apr-2015

Sir/Madam,

In partial modification of the letter F.No. Central/1-2451226531/2015/EOA and in terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2012 notified by the Council vide notification number F-No.37-3/Legal/2012 dated 27/09/2012 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Regional Office	Central	Application Id	1-2451226531
	77	Permanent Id	1-2605911
Name of the Institute	SHRI SITARAMBHAI NARANJI PATEL INSTITUTE OF TECHNOLOGY, MANAGED BY VIDYABHARTI TRUST,UMRAKH -BARDOLI	Institute Address	VIDYA BHARTI CAMPUS BARDOLI - MOTA ROAD, UMRAKH TA. BARDOLI, DIST. SURAT, STATE. GUJARAT,UMRAKH,SURAT,Gujarat,394345
Name of the Society/Trust	VIDYABHARTI TRUST	Society/Trust Address	VIDYABHARTI CAMPUS, AT. & PO. UMRAKH, TA BARDOLI, DIST. SURAT-(GUJARAT) PIN- 394345,UMRAKH,SURAT,Gujarat,394345
Institute Type	Unaided - Private		

Opted for change from Women to Co-ed	No	Opted for change of name	No	Opted for change of site	No
Change from Women to Co-ed approved	Not Applicable	Change of name Approved	Not Applicable	Change of site Approved	Not Applicable

Application Number: 1-2451226531* Page 1 of 5

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Letter Printed On:29 April 2015.

Printed By: ae1889591



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 <u>www.aicte-India.org</u>

To conduct following courses with the intake indicated below for the academic year 2015-16

Application Id: 1-2451226531		Course	Course Unique Id	Full/Part Time	Affiliating Body	for 2013-	for 2014-	for 2015-	ıtus	ıtus	ation	
Program	Shift	Level					Intake Approved for 2013- 14	Intake Approved for 15	Intake Approved for 2015- 16	NRI Approval Status	PIO Approval Status	Foreign Collaboration Approval Status
ENGINEERING AND TECHNOLOGY	1st Shift	UNDE R GRAD UATE	CHEMI CAL ENGIN EERIN G	1- 21814693 99	FULL TIME	Gujarat Technologi cal University	0	60	60	NA	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRAD UATE	PROD UCTIO N ENGIN EERIN G	1- 21814695 81	FULL TIME	Gujarat Technologi cal University	0	24	24	NA	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	UNDE R GRAD UATE	MECH ANICA L ENGIN EERIN G	1- 13930359 26	FULL TIME	Gujarat Technologi cal University, Ahmedaba d	120	120	120	NA	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	UNDE R GRAD UATE	ELECT RICAL ENGIN EERIN G	1- 13930359 29	FULL TIME	Gujarat Technologi cal University, Ahmedaba d	120	120	120	NA	NA	NA

Application Number: 1-2451226531* Page 2 of 5

 $\label{thm:constraints} \mbox{NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.}$

Printed By: ae1889591

Letter Printed On:29 April 2015.



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

Application Id: 1-2451226531		Course Unique Id		Full/Part Time	Affiliating Body	for 2013-	for 2014-	for 2015-	atus	tus	ation	
Program	Shift	Level					Intake Approved for 2013- 14	Intake Approved for 15	Intake Approved for 2015- 16	NRI Approval Status	PIO Approval Status	Foreign Collaboration Approval Status
ENGINEERING AND TECHNOLOGY	1st Shift	UNDE R GRAD UATE	COMP UTER SCIEN CE AND ENGIN EERIN G	1- 13930359 31	FULL TIME	Gujarat Technologi cal University, Ahmedaba d	60	60	60	NA	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	UNDE R GRAD UATE	CIVIL ENGIN EERIN G	1- 13930359 33	FULL TIME	Gujarat Technologi cal University, Ahmedaba d	120	120	120	NA	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	UNDE R GRAD UATE	ELECT RONIC S AND COMM UNICA TIONS ENGIN EERIN G	1- 13930359 35	FULL TIME	Gujarat Technologi cal University, Ahmedaba d	60	60	60	NA	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRAD UATE	CONS TRUCT ION MANA GEME NT	1- 13930359 39	FULL TIME	Gujarat Technologi cal University, Ahmedaba d	18	18	18	NA	NA	NA
ENGINEERING AND TECHNOLOGY	1st Shift	POST GRAD UATE	SIGNA L PROC ESSIN G AND COMM UNICA TIONS	1- 15136136 78	FULL TIME	Gujarat Technologi cal University, Ahmedaba d	24	24	24	NA	NA	NA

• Validity of the course details may be verified at www.aicte-india.org>departments>approvals

Application Number: 1-2451226531* Page 3 of 5

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Letter Printed On:29 April 2015.

Printed By: ae1889591



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

The above mentioned approval is subject to the condition that SHRI SITARAMBHAI NARANJI PATEL INSTITUTE OF TECHNOLOGY, MANAGED BY VIDYABHARTI TRUST, UMRAKH -BARDOLI shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

Dr. Avinash S Pant Actg. Chairman, AICTE

Copy to:

1. The Regional Officer,

All India Council for Technical Education Tagore Hostel-2, Shamla Hills Bhopal-462 002, Madhya Pradesh

2. The Director Of Technical Education.

Gujarat

3. The Principal / Director,

SHRI SITARAMBHAI NARANJI PATEL INSTITUTE OF TECHNOLOGY, MANAGED BY VIDYABHARTI TRUST,UMRAKH -BARDOLI VIDYA BHARTI CAMPUS BARDOLI - MOTA ROAD, UMRAKH TA. BARDOLI, DIST. SURAT, STATE. GUJARAT, UMRAKH,SURAT, Gujarat,394345

4. The Secretary / Chairman,

VIDYABHARTI TRUST VIDYABHARTI CAMPUS, AT. & PO. UMRAKH, TA.-BARDOLI, DIST. SURAT-(GUJARAT) PIN-394345, UMRAKH,SURAT, Gujarat,394345

5. Guard File(AICTE)

Application Number: 1-2451226531* Page 4 of 5

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Letter Printed On:29 April 2015.

Printed By : ae1889591



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org



Application Number: 1-2451226531* Page **5** of **5**

NoteThis is a Computer generated Corrigendum Letter for EoA. No signature is required.

Printed By: ae1889591

Letter Printed On:29 April 2015.